

### **Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in the application.

### **Listing of Claims:**

1. (CURRENTLY AMENDED) A wall outlet, ~~having~~ comprising a lower part with at least one first opening for holding an electrical cable and having a cover, with the cover or the lower part having at least one second opening, into which an electrical socket can be inserted, ~~characterized in that~~ wherein a routing element (21) is arranged in the lower part (20), ~~by means of which~~ wherein the electrical cable (28) can be routed in a defined manner from the first opening (27) to the second opening (3).
2. (CURRENTLY AMENDED) The wall outlet as claimed in claim 1, ~~characterized in that~~ wherein the routing element (21) is detachably connected to the lower part (20).
3. (CURRENTLY AMENDED) The wall outlet as claimed in claim 1 ~~or 2~~, ~~characterized in that~~ wherein the lower part (20) has two first openings (27), and the cover (1) has two second openings (3).
4. (CURRENTLY AMENDED) The wall outlet as claimed in ~~one of the preceding claims~~, ~~characterized in that~~ claim 2, wherein flaps (2) which can pivot are arranged on the cover (1) and can be used to close the second openings (3).
5. (CURRENTLY AMENDED) The wall outlet as claimed in claim 4, ~~characterized in~~

that wherein the flap (2) has a latching trough, and the cover (1) has a latching tab.

6. (CURRENTLY AMENDED) The wall outlet as claimed in ~~one of the preceding~~ claims, ~~characterized in that~~ claim 1, wherein hinge-like shafts (25) are arranged on both end surfaces (23, 24) on the lower part (20) and, on the end surface opposite the second opening (3), the cover (1) has attachment means (14) which correspond to the hinge-like shafts (25).

7. (CURRENTLY AMENDED) The wall outlet as claimed in ~~one of the preceding~~ claims, ~~characterized in that~~ claim 1, wherein the routing element (21) has elements (35, 36) in the form of springs.

8. (CURRENTLY AMENDED) The wall outlet as claimed in ~~one of the preceding~~ claims, ~~characterized in that~~ claim 1, wherein the cover has lead-sealing hooks (6).

9. (CURRENTLY AMENDED) The wall outlet as claimed in ~~one of the preceding~~ claims, ~~characterized in that~~ claim 1, wherein a seal (11) is arranged between the lower part (20) and the cover (1).

10. (CURRENTLY AMENDED) The wall outlet as claimed in claim 9, ~~characterized in that~~ wherein the holes (12) for attachment screws are arranged away from the seal (11).

11. (CURRENTLY AMENDED) The wall outlet as claimed in ~~one of the preceding~~

~~claims, characterized in that~~ claim 1, wherein installation instructions (16) are fitted on the lower face of the cover (1) and/or on the upper face of the lower part (20).

12. (CURRENTLY AMENDED) The wall outlet as claimed in ~~one of the preceding~~  
~~claims, characterized in that~~ claim 1, wherein the cover (1) has a lid (8), and the lid (8)  
has a seal.

13. (CURRENTLY AMENDED) The wall outlet as claimed in ~~one of the preceding~~  
~~claims, characterized in that~~ claim 1, wherein at least one hinge-like shaft (25) is arranged  
on at least one end surface (23, 24) of the lower part (20), and the cover (1) has  
corresponding attachment means (14), with the hinge-like shaft (25) having a latching  
depression (39) and the corresponding attachment means (14) having a latching tab, so  
that the cover (1) latches in over a limiting angle when it is folded up.